

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
 Product name : Cargo 3500  
 Product code : M85  
 Type of product : Detergent  
 Product group : Cleaning product.

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Professional use  
 Use of the substance/mixture : See product bulletin for detailed information

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

CID LINES NV  
 Waterpoortstraat, 2  
 B-8900 Ieper - Belgique  
 T + 32 57 21 78 77 - F +32 57 21 78 79  
[sds@cidlines.com](mailto:sds@cidlines.com) - <http://www.cidlines.com>

#### 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Australia	Poisons Information Centre		13 11 26	
Belgium	Centre Anti-Poisons/Antigifcentrum c/o Hôpital Central de la Base - Reine Astrid	Rue Bruyn B -1120 Brussels	+32 70 245 245	
Canada	CANUTEC Country Organization/Company Address Emergency number Comment		(613) 996-6666	
Finland	Poison Information Centre	P.O.B 790 (Tukholmankatu 17) HUS SF - 00029 Helsinki	+358 9 471 977	
Iceland	Eitrunarmiðstöð Landspítali	Fossvogi 108 Reykjavik	+354 543 22 22	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital MSD Msida	112	
Netherlands	Nationaal Vergiftigingen Informatie Centrum Uitsluitend bestemd om artsen te informeren bij accidentele vergiftigingen	Huispostnummer B.00.118, PO Box 85500 3508 GA Utrecht	+31 30 274 88 88	
New Zealand	The National Poisons Centre	University of Otago, 2nd Floor, Adams Building, 18 Frederick Street, 9016 Dunedin	0800 764 766 0800 POISON	
Switzerland	Centre Suisse d'Information Toxicologique Swiss Toxicological Information Centre, Schweizerisches Toxicologisches Informationszentrum STIZ	Freiestrasse 16 Postfach CH-8032 Zurich	+41 44 251 51 51 (International) 145 (National)	
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	

# Cargo 3500

## Safety Data Sheet

According to OSHA 29 CFR 1910.1200

USA	American Association of Poison Control Centers		1-800-222-1222	
-----	---	--	----------------	--

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Labelling according to OSHA 29 CFR 1910.1200

Skin Corr. 1A H314

Eye Dam. 1 H318

Full text of hazard classes and H-statements : see section 16

##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to OSHA 29 CFR 1910.1200

Hazard pictograms (CLP)



GHS05

Signal word (CLP)

: Danger

Hazardous ingredients

: sodium hydroxide; caustic soda

Hazard statements (CLP)

: H314 - Causes severe skin burns and eye damage.

Precautionary statements (CLP)

: P102 - Keep out of reach of children.  
P260 - Do not breathe dust/fume/gas/mist/vapours/spray.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.  
P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 - Immediately call a POISON CENTER or doctor/physician.  
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

#### 2.3. Other hazards

No additional information available

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
sodium hydroxide; caustic soda	(CAS-No.) 1310-73-2 (EC-No.) 215-185-5 (EC Index-No.) 011-002-00-6 (REACH-no) 01-2119457892-27	1 – 5	Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318
trisodium nitrilotriacetate	(CAS-No.) 5064-31-3 (EC-No.) 225-768-6 (EC Index-No.) 607-620-00-6 (REACH-no) 01-2119519239-36	1 – 5	Carc. 2, H351 Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319

#### Specific concentration limits:

Name	Product identifier	Specific concentration limits
sodium hydroxide; caustic soda	(CAS-No.) 1310-73-2 (EC-No.) 215-185-5 (EC Index-No.) 011-002-00-6 (REACH-no) 01-2119457892-27	( 0.5 ≤C < 2) Skin Irrit. 2, H315 ( 0.5 ≤C < 2) Eye Irrit. 2, H319 ( 2 ≤C < 5) Skin Corr. 1B, H314 ( 5 ≤C < 100) Skin Corr. 1A, H314

# Cargo 3500

## Safety Data Sheet

According to OSHA 29 CFR 1910.1200

trisodium nitrilotriacetate	(CAS-No.) 5064-31-3 (EC-No.) 225-768-6 (EC Index-No.) 607-620-00-6 (REACH-no) 01-2119519239-36	( 5 ≤C < 100) Carc. 2, H351
-----------------------------	---	-----------------------------

Full text of H-statements: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Seek medical attention immediately.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Seek medical advice (show the label where possible).
First-aid measures after eye contact	: Rinse immediately with plenty of water. Seek medical attention immediately.
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting because of corrosive effects. Take to hospital.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: Inhalation of vapour can cause breathing difficulties. Cough. Sore throat.
Symptoms/effects after skin contact	: Redness, pain. Causes severe skin burns and eye damage.
Symptoms/effects after eye contact	: Redness, pain. Blurred vision. Tears. Serious damage to eyes.
Symptoms/effects after ingestion	: Burning sensation. Cough. Cramps. May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract. Swallowing a small quantity of this material will result in serious health hazard.

#### 4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : Dry chemical. Foam. Carbon dioxide.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: Not combustible.
Explosion hazard	: Not expected to be a fire/explosion hazard under normal conditions of use.
Hazardous decomposition products in case of fire	: Toxic fumes may be released. Corrosive vapours.

#### 5.3. Advice for firefighters

Precautionary measures fire	: Wear fire/flare resistant/retardant clothing. Eliminate all ignition sources if safe to do so.
Firefighting instructions	: Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Exercise caution when fighting any chemical fire. Do not enter fire area without proper protective equipment, including respiratory protection. Wear fire/flare resistant/retardant clothing. Heat resistant gloves.
Other information	: On exposure to high temperature, may decompose, releasing toxic gases.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Spill should be handled by trained cleaning personnel properly equipped with respiratory and eye protection. Stop leak if safe to do so. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous.

##### 6.1.1. For non-emergency personnel

No additional information available

##### 6.1.2. For emergency responders

No additional information available

#### 6.2. Environmental precautions

No additional information available

#### 6.3. Methods and material for containment and cleaning up

For containment	: Stop leak without risks if possible. Collect spillage. Use suitable disposal containers.
Methods for cleaning up	: Clean up any spills as soon as possible, using an absorbent material to collect it.

#### 6.4. Reference to other sections

No additional information available

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : When handling product, avoid contact with skin and eyes. Wear personal protective equipment. Do not breathe vapour/aerosol. Provide good ventilation in process area to prevent formation of vapour.

# Cargo 3500

## Safety Data Sheet

According to OSHA 29 CFR 1910.1200

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Handle in accordance with good industrial hygiene and safety procedures.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool well ventilated place. Do not store in corrodable metal. Keep container closed when not in use. Protect from freezing.

Storage temperature : < 50 °C

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### sodium hydroxide; caustic soda (1310-73-2)

##### DNEL/DMEL (Workers)

Long-term - local effects, inhalation 1 mg/m<sup>3</sup>

##### DNEL/DMEL (General population)

Long-term - local effects, inhalation 1 mg/m<sup>3</sup>

### 8.2. Exposure controls

#### Hand protection:

Wear suitable gloves resistant to chemical penetration

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0.5	2 (< 1.5)	EN ISO 374

#### Eye protection:

Wear security glasses which protect from splashes

Type	Field of application	Characteristics	Standard
Safety glasses, Safety goggles, Face shield	Droplet	Plastic, Clear	EN 166

#### Skin and body protection:

Wear suitable protective clothing

Type	Standard
	EN14605:2005+A1:2009

#### Respiratory protection:

Appropriate dust or mist respirator should be used if airborne particles are generated when handling this material

Device	Filter type	Condition	Standard
Disposable half mask	Type P2	Protection for Liquid particles, Vapour protection, Long term exposure	EN 132, EN 140

#### Personal protective equipment symbol(s):



#### Other information:

When using do not eat, drink or smoke. Provide local exhaust or general room ventilation.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid  
Colour : clear. brown.  
Odour : No data available  
Odour threshold : No data available

# Cargo 3500

## Safety Data Sheet

According to OSHA 29 CFR 1910.1200

pH	: ≈ 11.5 (1%)
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: ≈ 1.08 kg/l
Solubility	: Water: 100 %
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

### 9.2. Other information

VOC content : 5 g/l

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

None under normal conditions.

### 10.2. Chemical stability

The product is stable at normal handling and storage conditions.

### 10.3. Possibility of hazardous reactions

None under normal conditions.

### 10.4. Conditions to avoid

No additional information available

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

According to process conditions, hazardous decomposition products may be generated.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Causes severe skin burns. pH: ≈ 11.5 (1%)
Serious eye damage/irritation	: Causes serious eye damage. pH: ≈ 11.5 (1%)
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

#### trisodium nitrilotriacetate (5064-31-3)

NOAEL (chronic, oral, animal/male, 2 years)	100 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 451 (Carcinogenicity Studies), Remarks on results: other:Effect type: toxicity (migrated information)
---	---

Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified

# Cargo 3500

## Safety Data Sheet

According to OSHA 29 CFR 1910.1200

trisodium nitrilotriacetate (5064-31-3)	
LOAEL (dermal, rat/rabbit, 90 days)	Animal: rabbit
NOAEL (oral, rat, 90 days)	9 mg/kg bodyweight Animal: rat, Animal sex: male

Aspiration hazard : Not classified

### SECTION 12: Ecological information

#### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

sodium hydroxide; caustic soda (1310-73-2)	
EC50 - Crustacea [1]	40.4 mg/l Test organisms (species): Ceriodaphnia sp.

trisodium nitrilotriacetate (5064-31-3)	
LC50 - Fish [1]	114 mg/l Test organisms (species): Pimephales promelas
EC50 72h - Algae [1]	> 91.5 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 72h - Algae [2]	> 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
NOEC (chronic)	9.3 mg/l Test organisms (species): other aquatic arthropod: Gammarus pseudolimnaeus Duration: '147 d'
NOEC chronic fish	> 54 mg/l Test organisms (species): Pimephales promelas Duration: '224 d'

#### 12.2. Persistence and degradability

Cargo 3500	
Persistence and degradability	The surfactant contained in this preparation complies with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

#### 12.3. Bioaccumulative potential

Cargo 3500	
Bioaccumulative potential	No bioaccumulation.

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

No additional information available

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Regional legislation (waste)	: Dispose in a safe manner in accordance with local/national regulations.
Waste treatment methods	: Dispose of this material and its container at hazardous or special waste collection point. Hazardous waste due to toxicity. Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: When totally empty, containers are recyclable like any other packing. Dispose in a safe manner in accordance with local/national regulations. Avoid release to the environment.
European List of Waste (LoW) code	: 07 06 01* - aqueous washing liquids and mother liquors
Switzerland - Waste code (VeVA)	: 07 06 01 - [ak] Aqueous washing liquids and aqueous mother liquors

### SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number	
UN-No. (ADR)	: UN 1824
UN-No. (IMDG)	: UN 1824
UN-No. (IATA)	: UN 1824

# Cargo 3500

## Safety Data Sheet

According to OSHA 29 CFR 1910.1200

UN-No. (ADN) : UN 1824

UN-No. (RID) : UN 1824

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : SODIUM HYDROXIDE SOLUTION  
Proper Shipping Name (IMDG) : SODIUM HYDROXIDE SOLUTION  
Proper Shipping Name (IATA) : Sodium hydroxide solution  
Proper Shipping Name (ADN) : SODIUM HYDROXIDE SOLUTION  
Proper Shipping Name (RID) : SODIUM HYDROXIDE SOLUTION  
Transport document description (ADR) : UN 1824 SODIUM HYDROXIDE SOLUTION, 8, III, (E)  
Transport document description (IMDG) : UN 1824 SODIUM HYDROXIDE SOLUTION, 8, III  
Transport document description (IATA) : UN 1824 Sodium hydroxide solution, 8, III  
Transport document description (ADN) : UN 1824 SODIUM HYDROXIDE SOLUTION, 8, III  
Transport document description (RID) : UN 1824 SODIUM HYDROXIDE SOLUTION, 8, III

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR) : 8

Danger labels (ADR) : 8



#### IMDG

Transport hazard class(es) (IMDG) : 8

Danger labels (IMDG) : 8



#### IATA

Transport hazard class(es) (IATA) : 8

Danger labels (IATA) : 8



#### ADN

Transport hazard class(es) (ADN) : 8

Danger labels (ADN) : 8



#### RID

Transport hazard class(es) (RID) : 8

Danger labels (RID) : 8



# Cargo 3500

## Safety Data Sheet

According to OSHA 29 CFR 1910.1200

### 14.4. Packing group

Packing group (ADR)	: III
Packing group (IMDG)	: III
Packing group (IATA)	: III
Packing group (ADN)	: III
Packing group (RID)	: III

### 14.5. Environmental hazards

Dangerous for the environment	: No
Marine pollutant	: No
Other information	: Clean up even minor leaks or spills, if possible, without unnecessary risk

### 14.6. Special precautions for user

Special transport precautions	: Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency, No naked flames, sparks, and do not smoke, Keep public away from danger area, NOTIFY POLICE AND FIRE BRIGADE IMMEDIATELY
-------------------------------	--

### Overland transport

Classification code (ADR)	: C5
Limited quantities (ADR)	: 5I
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T4
Portable tank and bulk container special provisions (ADR)	: TP1
Tank code (ADR)	: L4BN
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Hazard identification number (Kemler No.)	: 80
Orange plates	:



Tunnel restriction code (ADR)	: E
EAC code	: 2R

### Transport by sea

Special provisions (IMDG)	: 223
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-B
Stowage category (IMDG)	: A
Segregation (IMDG)	: SG35
Properties and observations (IMDG)	: Colourless liquid. Colourless liquid. Reacts with ammonium salts, evolving ammonia gas. Causes burns to skin, eyes and mucous membranes. Reacts violently with acids.

### Air transport

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y841
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 852
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 856
CAO max net quantity (IATA)	: 60L
Special provisions (IATA)	: A3, A803
ERG code (IATA)	: 8L



# Cargo 3500

## Safety Data Sheet

According to OSHA 29 CFR 1910.1200

### Inland waterway transport

Classification code (ADN) : C5  
Limited quantities (ADN) : 5 L  
Excepted quantities (ADN) : E1  
Carriage permitted (ADN) : T  
Equipment required (ADN) : PP, EP  
Number of blue cones/lights (ADN) : 0

### Rail transport

Classification code (RID) : C5  
Limited quantities (RID) : 5L  
Excepted quantities (RID) : E1  
Packing instructions (RID) : P001, IBC03, LP01, R001  
Mixed packing provisions (RID) : MP19  
Portable tank and bulk container instructions (RID) : T4  
Portable tank and bulk container special provisions (RID) : TP1  
Tank codes for RID tanks (RID) : L4BN  
Special provisions for RID tanks (RID) : TU42  
Transport category (RID) : 3  
Special provisions for carriage – Packages (RID) : W12  
Colis express (express parcels) (RID) : CE8  
Hazard identification number (RID) : 80

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

VOC content : 5 g/l

Other information, restriction and prohibition regulations : Ensure all national/local regulations are observed. PIC Regulation EU (649/2012) - Export and Import of hazardous chemicals. {0} is subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

### California Cleaning Product Right to Know Act of 2017 (SB 258)

Component	CAS-No.	Function	List(s)
C12-C14 Alcohols Ethoxylated	68439-50-9	Non-ionic surfactant	Not applicable
Trisodium NTA	5064-31-3	Builder	Not applicable
Caprylyl	6815-73-1	Non-ionic surfactant	Not applicable
Sodium Hydroxide	1310-73-2	Cleaning agent	Not applicable
(1-hydroxyethylidene) bisphosphonic acid, sodium salt	29329-71-3	Builder	Not applicable
Butoxydiglycol	112-34-5	Solvent	Not applicable

# Cargo 3500

## Safety Data Sheet

According to OSHA 29 CFR 1910.1200

### 15.1.2. National regulations

### 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

Other information : **DISCLAIMER OF LIABILITY** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Carc. 2	Carcinogenicity, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H351	Suspected of causing cancer.

### SDS\_U

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*